SELF PRIMING ELECTRIC PUMPS IN BRONZE

Series
VA

VA 40B

CHARACTERISTICS

- **Pump casing:** bronze
- **Impeller:** bronze
- **Diffuser:** bronze
- **Shaft:** AISI 316 stainless steel
- **Seal:** mechanical
- **Motor:** 24 V.D.C. 230 V A.C. 1 Ph, 230/400 V A.C.3Ph.

On request:
- execution with bare shaft
- with hand clutch
- with electric clutch
- other voltages

APPLICATIONS

- extracting sea water, bilge
- fire-fighting
- transferring fuels

DC EXECUTION

		l/min	40	60	80	100	140	160	180	200	230	260	300	350	400	450	500	550	600	650	733
	Kw	mc/h	2,4	3,6	4,8	6	8,4	9,6	10,8	12	13,8	15,6	18	21	24	27	30	33	36	39	44
VA 40B	0,75	H(m)	17	16	15	14	12,5	11,8	11	10,2	9	8	6								
VA 42B	2,2							24	23	22	20,5	19	17	14	10	6					

Sito Web

Catalogo Generale

Feit Pompe S.r.l.
Via Venezia, 34/g - 10088 - Volpiano (TO) - ITALIA
Tel: +39 (0)11 9884327 - info@feit.srl - feit.srl

FEIT 1946 Evolving with **you**...

SELF PRIMING ELECTRIC PUMPS IN BRONZE

Series
VA



	VOLT	RPM
VA 40B	24V	2900

	VOLT	RPM
VA 42B	24V	2900



	Dnm	Dna	A	B	F	H1	H2	N	M	S	W	X	Kg
VA 40B	1”1/2	1”1/2	110	-	410	290	220	10	83	180	180	140	22
VA 42B	1”1/2	2”	114	140	523	260	185	12	103	288	206	160	41

SELF PRIMING ELECTRIC PUMPS IN BRONZE

Series
VA

AC EXECUTION 50Hz

		l/min	40	60	80	100	140	160	180	200	230	260	300	350	400	450	500	550	600	650	733	833
	Kw	mc/h	2,4	3,6	4,8	6	8,4	9,6	10,8	12	13,8	15,6	18	21	24	27	30	33	36	39	44	50
VA 40B	0,75	H(m)	17	16	15	14	12,5	11,9	11,2	10,5	9,2	8	6									
VA 41B	1,5					21	19,6	18,7	18	17	15,9	14,7	13	11	9	6	3					
VA 42B	2,2					23	22,4	22	21,5	21	20	19	17,6	16	14	12,4	10,3	8	5			
VA 43B	3				26	25,6	25,3	25	24,7	24,6	24	23,5	22,5	20,8	19,3	17,5	15,5	13	10,8	8,6	5	
VA 50B	5									35	34,5	34	33	32	31	30	29	28	27	25,5	23	20

		l/min	260	300	350	400	450	500	550	600	650	733	833	900	1000	1100
	Kw	mc/h	15,6	18	21	24	27	30	33	36	39	44	50	54	60	66
VA 70B	5,5	H(m)	27,5	27,3	27	26,8	26,4	25,7	25,3	24,6	24	22,4	20,5	19	16,7	13,7
VA 80B	7,5		33,8	33,2	32,9	32,5	32	31,6	31	30,5	29,9	29	27	25,3	23,2	20,4



	VOLT	RPM
VA 40B	230/400 230m	2900
VA 43B	230/400 230m	2900
VA 80B	230/400 230m	2900

	VOLT	RPM
VA 41B	230/400 230m	2900
VA 50B	230/400 230m	2900

	VOLT	RPM
VA 42B	230/400 230m	2900
VA 70B	230/400 230m	2900

SELF PRIMING ELECTRIC PUMPS IN BRONZE

Series
VA





	Dnm	Dna	A	B	F	H1	H2	N	M	S	W	X	Kg
VA 40B	1"1/2	1"1/2	110		410	290	220	10	83	180	180	140	22
VA 41B	1"1/2	2"	114	100	523	260	185	12	103	288	206	160	41
VA 42B	1"1/2	2"	114	125	540	260	185	12	103	288	206	160	43
VA 43B	1"1/2	2"	114	140	560	260	185	12	103	288	206	160	44
VA 50B	2"	2"1/2	138	140	570	296	223	12	118	325	236	190	53
VA 70B	2"1/2	2"1/2	172		595	368	293	16	115	280	240	190	58
VA 80B	3"	3"	202		659	432	342	22	132	300	280	210	80

Sito Web

Catalogo Generale

Feit Pompe S.r.l.
Via Venezia, 34/g - 10088 - Volpiano (TO) - ITALIA
Tel: +39 (0)11 9884327 - info@feit.srl - feit.srl

FEIT 1946 Evolving with **you**...