




A 990B



A 60B

Sito Web



Catalogo Generale



Feit Pompe S.r.l.

Via Venezia, 34/g - 10088 - Volpiano (TO) - ITALIA
Tel: +39 (0)11 9884327 - info@feit.srl - feit.srl

SELF PRIMING CENTRIFUGAL ELECTRIC PUMPS

Series
CCM

DC EXECUTION

		mc/h	0,12	0,4	0,6	1	1,5	1,89	2,4	3	3,5	4	4,8	5,5	6,5	9,5	10,8	15
	Kw	l/min	2	6,3	10	16	25	31,5	40	50	59	70	80	91,6	108	158	180	250
A 60 B	0,25	H(m)	22	17	13	6	2											
A 80 B	0,37			35	33	29	22	16	10									
A 90 B	0,55			53	51	44	34	26,5	17,5	10								
A 990B-A 992I	0,37		35	28	24,5	18	13	10	8	6	4							
A 990BR-A 992IR	0,45			45	42	35,8	30,5	27	24	20	18	16						
A 993 B-I	0,75				42	38,5	34,2	31,5	28,5	24,8	22,4	20						
A 994 B-I	0,75		48	43,5	41	36,4	32	29	25	20								
A 995 B-I	1,1		51	48,2	46,4	44	41,7	40	38	36	34	32	29,5	27	23			
A 996 B-I	1,5				54	51	48	46	43,8	41	39,2	37	34,4	31,8	29,5	25		

CHARACTERISTICS

- **Pump casing:** bronze*
- **Impeller:** bronze*
- **Diffuser:** bronze
- **Shaft:** AISI 316 stainless steel

- **Seal:** mechanical
- **Motor:** 24 V D.C. 230 V A.C. 1 PH, 230/400 V A.C.3PH

* INOX A992I, 992IR, 993I, 994I, 995I, 996I


APPLICATIONS

- extracting sea water, bilge
- transferring fuels in general
- water supply for trailers

- transferring soft water and sea water
- chain washing

SELF PRIMING CENTRIFUGAL ELECTRIC PUMPS


Series
CCM



	VOLT	RPM
A 60B	24V	2900
A 990B A 992I	24V	2900

	VOLT	RPM
A 80B	24V	2900
A 990BR A 992IR	24V	2900



	VOLT	RPM
A 90B	24V	2900



	VOLT	RPM
A 993B-I	24V	2900
A 996B-I	24V	2900

	VOLT	RPM
A 994B-I	24V	2900

	VOLT	RPM
A 995B-I	24V	2900



	Dn1	Dn2	L	h	G	R	S	Kg
A 60B	1/2" g	1/2" g	260	130	110	100	80	4,5
A 80B	3/4" g	3/4" g	280	160	125	114	90	9
A 90B	1" g	1" g	330	180	135	114	90	11
A 990B	1" g	1" g	421	181	180	100	30	13
A 990BR	1" g	1" g	440	181	180	100	30	14
A 992I	1" g	1" g	421	181	146	112	30	9
A 992IR	1" g	1" g	440	181	146	112	30	11
A 993I	1" g	1" g	430	200	146	112	52	12
A 993B	1" g	1" g	430	200	185	155	52	25
A 994I	1" g	1" g	430	200	146	112	52	13
A 994B	1" g	1" g	430	200	185	155	52	25
A 995I	1 1/4" g	1" g	489	240	185	155	37	16
A 995B	1 1/2" g	1" g	450	200	187	155	52	30
A 996I	1 1/4" g	1" g	489	240	185	155	37	18
A 996B	1 1/2" g	1" g	500	210	215	175	52	33

Sito Web



Catalogo Generale



Feit Pompe S.r.l.

Via Venezia, 34/g - 10088 - Volpiano (TO) - ITALIA

Tel: +39 (0)11 9884327 - info@feit.srl - feit.srl



A 995I

Sito Web



Catalogo Generale



Feit Pompe S.r.l.

Via Venezia, 34/g - 10088 - Volpiano (TO) - ITALIA
Tel: +39 (0)11 9884327 - info@feit.srl - feit.srl

SELF PRIMING CENTRIFUGAL ELECTRIC PUMPS

Series
CCM

AC EXECUTION 50Hz

	mc/h	0,12	0,4	0,6	1	1,5	1,89	2,4	3	3,5	4	4,8	5,5	6,5	9,5	10,8	15
	Kw	2	6,3	10	16	25	31,5	40	50	59	70	80	91,6	108	158	180	250
A 60B	0,25	22	17	13	6	2											
A 80B	0,37		35	33	29	22	16	10									
A 90B	0,55		53	51	44	34	26,5	17,5	10								
A 990BR-A 992IR	0,55		45	42	35,8	30,5	27	24	20	18	16						
A 993B-I	0,75			42	38,5	34,2	31,5	28,5	24,8	22,4	20						
A 994B-I	0,75	48	43,5	41	36,4	32	29	25	20								
A 995B-I	1,1	51	48,2	46,4	44	41,7	40	38	36	34	32	29,5	27	23			
A 996B-I	1,5			54	51	48	46	43,8	41	39,2	37	34,4	31,8	29,5	25		
A 997 B	2,2			59	57	55	53,7	52,4	51	50	49	47	45,3	43,2	37		

CHARACTERISTICS

- **Pump casing:** bronze*
- **Impeller:** bronze*
- **Diffuser:** bronze
- **Shaft:** AISI 316 stainless steel

- **Seal:** mechanical
- **Motor:** 24 V D.C. 230 V A.C. 1 PH, 230/400 V A.C.3PH

* INOX A992IR, 993I, 994I, 995I, 996I


APPLICATIONS

- extracting sea water, bilge
- transferring fuels in general
- water supply for trailers

- transferring soft water and sea water
- chain washing

SELF PRIMING CENTRIFUGAL ELECTRIC PUMPS


Series
CCM



	VOLT	RPM
A 60B	230/400 230m	2900
A 990BR A 992IR	230/400 230m	2900

	VOLT	RPM
A 80B	230/400 230m	2900



	VOLT	RPM
A 90B	230/400 230m	2900



	VOLT	RPM
A 993B-I	230/400 230m	2900
A 996B-I	230/400 230m	2900

	VOLT	RPM
A 994B-I	230/400 230m	2900
A 997B	230/400 230m	2900

	VOLT	RPM
A 995B-I	230/400 230m	2900



	Dn1	Dn2	L	h	G	R	S	Kg
A 60B	1/2"g	1/2"g	260	130	110	98	80	6
A 80B	3/4"g	3/4"g	280	160	125	100	80	10
A 90B	1"g	1"g	320	180	135	110	90	13
A 990BR	1"g	1"g	440	181	180	100	30	14
A 992IR	1"g	1"g	440	200	146	112	30	11
A 993I	1"g	1"g	430	200	146	112	52	12
A 993B	1"g	1"g	430	200	185	155	52	25
A 994I	1"g	1"g	430	200	146	112	52	13
A 994B	1"g	1"g	430	200	185	155	52	25
A 995I	1"1/4g	1"g	489	240	185	155	37	16
A 995B	1"1/2g	1"g	450	200	187	155	52	30
A 996I	1"1/4g	1"g	489	240	185	155	37	18
A 996B	1"1/2g	1"g	500	210	215	175	52	33
A 997B	1"1/2g	1"g	500	210	215	175	52	35

Sito Web



Catalogo Generale



Feit Pompe S.r.l.

Via Venezia, 34/g - 10088 - Volpiano (TO) - ITALIA

Tel: +39 (0)11 9884327 - info@feit.srl - feit.srl

